



Service Corridor	
Electricity, Gas & Telecommunications	900
Water/Sewerage	1200
Telecommunications	900


Poles/Trees	1000
Gas/SW Drainage	



LOCATION OF MARKERS



SECTION A-A



TYPICAL BRASS SERVICE MARKER DISCS

SERVICE MARKERS


- W ... Water service
- WM... Water main
- E ... Electrical service
- T ... Telecommunication service
- I ... Irrigation service
- G ... Gas
- S ... Sewerage main

Service Corridor	
Electricity, Gas & Telecommunications	1000
Water/Sewerage	2000
Telecommunications	1000


Poles/Trees	1000
Gas/SW Drainage	

LEGEND

Road Crossing Conduits Shown by Dashed Lines	
Gas	G Yellow
Water	W Blue(light)
Recycled Water	REW Lilac
Sewer	S Green
Telecommunications	T Red
Electricity	E Orange



**TYPICAL SERVICE CORRIDOR ALIGNMENT
<5.0m(4.0m Nominal) FOOTPATH WIDTH**



**TYPICAL SERVICE CORRIDOR ALIGNMENT
>5.0m FOOTPATH WIDTH**

These drawings have been developed in consultation between the participating Councils.
BEFORE USE, the user shall confirm that the drawing has been adopted by the appropriate Council.

Rv.	DATE	REVISIONS
D	05/14	Review
C	03/14	Amended Drawing Number
B	6/09	Review
A	3/08	ORIGINAL ISSUE



**INSTITUTE OF PUBLIC WORKS ENGINEERING AUSTRALASIA
STANDARD DRAWINGS**

**PUBLIC UTILITIES
TYPICAL SERVICE CORRIDORS AND ALIGNMENTS**

RS-100

D
C
B
A
Rv.